



QUANTUM 2.0 & Q SERIES CATALOG

▲ FENIEX INDUSTRIES

Feniex Industries is a USA manufacturer of visual and audio emergency vehicle warning products. Located in the heart of Texas, Feniex is the fastest growing emergency vehicle manufacturer.

Feniex changes lives by manufacturing innovative, American-made products for the world's toughest jobs.



MADE IN THE USA.
PREMIER VEHICLE LIGHTING

Feniex
INNOVATION AT ITS BRIGHTEST

LETTER FROM THE
CHIEF SALES OFFICER

I am thrilled to present to you our latest product catalog, showcasing our innovative range of solutions designed to empower you in serving your customers with excellence.

At Feniex, we pride ourselves on being the leader in multicolor, 1SKU programmable technology. This technology drives our ability to implement plans at every level, replacing the traditional build-to-order logic of our industry. Our commitment to providing the most cost-efficient and functional warning technology for vehicle applications across all global markets remains steadfast. Feniex equipment is meticulously designed and built with inventory consolidation principles, enabling the fastest lead times to customers and ease of use.

As Chief Sales Officer, I am deeply committed to your success. It’s not just about selling products; it’s about building relationships, understanding your needs, and providing the support you deserve. Whether you’re an established partner or exploring our offerings for the first time, know that we are here to support you every step of the way.

In this catalog, you will find a comprehensive selection of our cutting-edge products. From state-of-the-art lighting solutions to advanced control systems, we continue to push the boundaries of innovation to ensure that you have the tools necessary to thrive in a competitive market.



"AS WE EMBARK ON THIS JOURNEY TOGETHER, I WANT TO EXPRESS MY GRATITUDE FOR YOUR CONTINUED PARTNERSHIP AND TRUST IN FENIEX INDUSTRIES. YOUR SUCCESS IS OUR SUCCESS, AND WE ARE HONORED TO BE A PART OF YOUR GROWTH STORY."

Thank you for choosing Feniex Industries as your trusted partner.

 **Yemilyn Mosley**
Chief Sales Officer

TABLE OF
CONTENTS

Quantum® 2.0

Product Guide..... 4

Unlock Software..... 5

Product Series..... 6

Q® Series

Product Guide.....11

Product Series.....12

Contact Us

Phone Number: 1.800.615.8350

Address: Feniex Industries
6320 E Stassney Ln, Bldg 1, Ste 175
Austin, TX 78744

Email: support@feniex.com

Hours: Monday - Friday
9am - 6pm CST

Social Media

 facebook.com/feniexindustries


 instagram.com/feniexofficial

 tiktok.com/feniexinc

 linkedin.com/company/feniex-industries

 youtube.com/feniexindustries

 snapchat.com/add/feniexofficial



Available in Single, Dual, Tri, Quad, and Quint.

	PRODUCT	PART #	DIMENSIONS	LED COUNT
5 COLORS IN ONE 14 FUNCTIONS 4-13 INPUTS 60° OPTICS	A. Quantum 44" Lightbar	QT4420**	44.5" x 11.8" x 1.6"	594 LEDs
	B. Quantum 49" Lightbar	QT4920**	49.15" x 11.8" x 1.6"	702 LEDs
	C. Quantum 60" Lightbar	QT6020**	59.8" x 11.8" x 1.6"	810 LEDs
	D. Quantum 14" Mini Lightbar	QT6120**	13.94" x 8.1" x 1.6"	162 LEDs
	E. Quantum 18" Mini Lightbar	QT1823**	17.9" x 8.1" x 1.6"	216 LEDs
	F. Quantum 27" Mini Lightbar	QT2723**	27.1" x 8.1" x 1.6"	324 LEDs
	G. Quantum Rocker Panel	QT8820**	63.75" x 1.3" x 2.25"	216 LEDs
	H. Quantum 400 Stick	QT0420**	18.8" x 1.3" x 2.25"	108 LEDs
	I. Quantum 600 Stick	QT0620**	28.1" x 1.3" x 2.25"	162 LEDs
	J. Quantum 800 Stick	QT0820**	37.46" x 1.3" x 2.25"	216 LEDs
	K. Quantum Arrow	QT1020**	42.46" x 1.3" x 15"	432 LEDs
	L. Quantum Split Arrow	QT1020-H**	21.5" x 2.75" x 15"	216 LEDs
	M. Quantum Interior	QT*****	37.46" x 1" x 2.25"	216 LEDs
	N. Quantum Spoiler	QT*****	13.06" x 2.1" x 4.6"	162 LEDs
	O. Quantum Pillar	QT*****	4" x 10" x 20"	162 LEDs



UNLOCK LEVEL	COLOR OPTIONS PER MODULE
Single Color Level	
Dual Color Level	

INTEGRATED FUNCTIONS ON EVERY LEVEL		
✓ Tail	✓ Turn Signal	✓ Work Light
✓ Cruise	✓ Brake Signal	✓ Low Power
✓ Front Flash	✓ Left Alley	✓ Cut Off
✓ Rear Flash	✓ Right Alley	✓ Pattern Change
✓ Arrow Directional	✓ Take Down	



SCAN HERE TO
DOWNLOAD THE
QUANTUM UNLOCK
SOFTWARE



LEARN TO PROGRAM
QUANTUM 2.0



OPTIONAL
CONVERTER FOR
UP TO 28 INPUTS


Converter sold separately.

QUANTUM[®] 2.0

Available in Single, Dual, Tri, Quad, and Quint.

QUANTUM[®] 44"

Full-Sized Lightbar



PART #	QT4420
DIMENSIONS	44" x 12.15" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	17 Amps @ 13V
INPUTS	13 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	594 LEDs
CABLE LENGTH	15ft

QUANTUM[®] 49"

Full-Sized Lightbar



PART #	QT4920
DIMENSIONS	49.8" x 12.15" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	20 Amps @ 13V
INPUTS	13 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	702 LEDs
CABLE LENGTH	15ft

QUANTUM[®] 60"

Full-Sized Lightbar



PART #	QT6020
DIMENSIONS	59.8" x 12.15" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	13 Amps @ 13V
INPUTS	14 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	810 LEDs
CABLE LENGTH	15ft

QUANTUM[®] 2.0

Available in Single, Dual, Tri, Quad, and Quint.

QUANTUM[®] 14"

Mini Lightbar



PART #	QT6120
DIMENSIONS	14.45" x 8.5" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	5 Amps @ 13V
INPUTS	4 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	162 LEDs
CABLE LENGTH	15ft

QUANTUM[®] 18"

Mini Lightbar



PART #	QT1823
DIMENSIONS	17.9" x 8.1" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	6 Amps @ 13V
INPUTS	4 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	216 LEDs
CABLE LENGTH	15ft

QUANTUM[®] 27"

Mini Lightbar



PART #	QT2723
DIMENSIONS	27.1" x 8.1" x 1.6"
VOLTAGE	10-18VDC
CURRENT DRAW	9 Amps @ 13V
INPUTS	4 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	324 LEDs
CABLE LENGTH	15ft



QUANTUM[®] 2.0

Available in Single, Dual, Tri, Quad, and Quint.

QUANTUM[®] 400

Lightstick



PART #	QT0420
DIMENSIONS	18.8" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	3 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	108 LEDs
CABLE LENGTH	10ft

QUANTUM[®] 600

Lightstick



PART #	QT0620
DIMENSIONS	28.1" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	5 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	162 LEDs
CABLE LENGTH	10ft

QUANTUM[®] 800

Lightstick




PART #	QT8820
DIMENSIONS	37.46" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	6 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	216 LEDs
CABLE LENGTH	10ft

QUANTUM[®] 2.0

Available in Single, Dual, Tri, Quad, and Quint.

QUANTUM[®] ROCKER

Lightstick



PART #	QT8820
DIMENSIONS	63.75" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	6 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	216 LEDs
CABLE LENGTH	10ft

QUANTUM[®] ARROW


Lightstick



PART #	QT1020
DIMENSIONS	42.5" x 2.75" x 15"
VOLTAGE	10-18VDC
CURRENT DRAW	12 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	432 LEDs
CABLE LENGTH	10ft

QUANTUM[®] SPLIT ARROW

Lightstick



PART #	QT1020H
DIMENSIONS	21.5" x 2.75" x 15"
VOLTAGE	10-18VDC
CURRENT DRAW	6 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	216 LEDs
CABLE LENGTH	10ft

QUANTUM[®] 2.0

Available in Single, Dual, Tri, Quad, and Quint.

QUANTUM[®] INTERIOR

Interior Lightbar



PART #	QT****
DIMENSIONS	37.46" x 1" x 2.25"
VOLTAGE	10-18VDC
CURRENT DRAW	5 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	216 LEDs
CABLE LENGTH	10ft
TYPE	Tahoe, Suburban, Silverado, Sierra, Ram 1500/2500/3500, Charger, Durango, Explorer, Expedition, F-150, F-250, F-350, F-450

QUANTUM[®] SPOILER


Perimeter



PART #	QT****
DIMENSIONS	13.06" x 2.1" x 4.6"
VOLTAGE	10-18VDC
CURRENT DRAW	5 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	162 LEDs
CABLE LENGTH	10ft
TYPE	Tahoe, Suburban, Explorer

QUANTUM[®] PILLAR

Perimeter




PART #	QT****
DIMENSIONS	4" x 10" x 20"
VOLTAGE	10-18VDC
CURRENT DRAW	5 Amps @ 13V
INPUTS	10 Inputs
FLASH PATTERNS	Over 20
OPTICS	60° Wide Spread
LED COUNT	162 LEDs
CABLE LENGTH	10ft
TYPE	Tahoe, Suburban, Explorer

Q[®] SERIES

INFINITE POSSIBILITIES



3-Mode or Serial Technology with 31 Available Color Settings: Single, Dual, Tri, Quad, & Quint.



3-MODE
OR SERIAL



PRODUCT	TECH	PART #	DIMENSIONS	LED COUNT
A. Q-Flat-Surface Mount	3-Mode	QFM-8101	5.5" x 0.56" x 1"	27 LEDs
B. Q-Flat-Dual Surface Mount	3-Mode	QFD-8101	5.25" x 0.56" x 2.25"	54 LEDs
C. Q-Flat-Wide Surface Mount	3-Mode	QFW-8101	9.625" x 0.56" x 1"	54 LEDs
F. Q-Surface Mount	3-Mode	QQM-8101	5.25" x 0.88" x 1.17"	27 LEDs
E. Q-Dual Surface Mount	3-Mode	QQDM-8101	5.25" x 0.88" x 2.25"	54 LEDs
F. Q-100 Stick	3-Mode	QQ-0120	4.8" x 2.25" x 1.25"	27 LEDs
G. Q-200 Stick	3-Mode	QQ-0220	9.5" x 2.25" x 1.25"	54 LEDs
H. Q-Under Mirror	3-Mode	QQUM-0121	4.6" x 2.5" x 1"	27 LEDs
I. Q-Mirror Mount	3-Mode	QQ-****	2.9" x 11" x 7"	54 LEDs
J. Q-1X Dash	3-Mode	QQ-1120	9.71" x 4.97" x 1.7"	27 LEDs
K. Q-2X Dash	3-Mode	QQ-2120	13.8" x 4.97" x 1.7"	54 LEDs
A. Q-Flat-Surface Mount	Serial	QFMS-8101	5.5" x 0.56" x 1"	27 LEDs
B. Q-Flat-Dual Surface Mount	Serial	QFDS-8101	5.25" x 0.56" x 2.25"	54 LEDs
C. Q-Flat-Wide Surface Mount	Serial	QFWS-8101	9.625" x 0.56" x 1"	54 LEDs
F. Q-Surface Mount	Serial	QQMS-8101	5.25" x 0.88" x 1.17"	27 LEDs
G. Q-Dual Surface Mount	Serial	QQDMS-8101	5.25" x 0.88" x 2.25"	54 LEDs
H. Q-100 Stick	Serial	QQS-0120	4.8" x 2.25" x 1.25"	27 LEDs
I. Q-200 Stick	Serial	QQS-0220	9.5" x 2.25" x 1.25"	54 LEDs
D. Q-Under Mirror	Serial	QQUMS-0121	4.6" x 2.5" x 1"	27 LEDs
E. Q-Mirror Mount	Serial	QQS-****	2.9" x 11" x 7"	54 LEDs
J. Q-1X Dash	Serial	QQS-1120	9.71" x 4.97" x 1.7"	27 LEDs
K. Q-2X Dash	Serial	QQS-2120	13.8" x 4.97" x 1.7"	54 LEDs
L. Q Link	Serial	QLM-24	3.95" x 2.6" x .75"	N/A

Q[®] SERIES

3-Mode or Serial Technology with 31 Available Color Settings: Single, Dual, Tri, Quad, & Quint.

Q-FLAT SURFACE MOUNT

Perimeter



3-MODE PART #	QFM-8101
SERIAL PART #	QFMS-8101
DIMENSIONS	5.5" x 0.56" x 1"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	27 LEDs
CABLE LENGTH	1ft

Q-FLAT-DUAL SURFACE MOUNT

Perimeter



3-MODE PART #	QFD-8101
SERIAL PART #	QFDS-8101
DIMENSIONS	5.25" x 0.56" x 2.25"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q-FLAT-WIDE SURFACE MOUNT

Perimeter



3-MODE PART #	QFW-8101
SERIAL PART #	QFWS-8101
DIMENSIONS	9.625" x 0.56" x 1"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q[®] SERIES

3-Mode or Serial Technology with 31 Available Color Settings: Single, Dual, Tri, Quad, & Quint.

Q-SURFACE MOUNT

Perimeter



3-MODE PART #	QQM-8101
SERIAL PART #	QQMS-8101
DIMENSIONS	5.25" x 0.88" x 1.17"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 13v
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	27 LEDs
CABLE LENGTH	1ft

Q-100 STICK

Perimeter



3-MODE PART #	QQ-0120
SERIAL PART #	QQS-0120
DIMENSIONS	4.8" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 13v
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	27 LEDs
CABLE LENGTH	1ft

Q-DUAL SURFACE MOUNT

Perimeter



3-MODE PART #	QQDM-8101
SERIAL PART #	QQDMS-8101
DIMENSIONS	5.25" x 0.88" x 2.25"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q-200 STICK

Perimeter



3-MODE PART #	QQ-0220
SERIAL PART #	QQS-0220
DIMENSIONS	9.5" x 2.25" x 1.25"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q[®] SERIES

3-Mode or Serial Technology with 31 Available Color Settings: Single, Dual, Tri, Quad, & Quint.

Q-UNDER MIRROR

Perimeter



3-MODE PART #	QQUM-0121
SERIAL PART #	QQUMS-0121
DIMENSIONS	4.6" x 2.5" x 1"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	27 LEDs
CABLE LENGTH	1ft

Q-1X DASH

Perimeter



3-MODE PART #	QQ-1120
SERIAL PART #	QQS-1120
DIMENSIONS	9.71" x 4.97" x 1.7"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	27 LEDs
CABLE LENGTH	1ft

Q-MIRROR MOUNT

Perimeter



3-MODE PART #	QQ-****
SERIAL PART #	QQS-****
DIMENSIONS	2.9" x 11" x 7"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q-2X DASH

Perimeter




3-MODE PART #	QQ-2120
SERIAL PART #	QQS-2120
DIMENSIONS	13.8" x 4.97" x 1.7"
VOLTAGE	10-18VDC
CURRENT DRAW	2 Amps @ 13V
TECHNOLOGY	3-Mode or Serial
FLASH PATTERNS	14 Patterns
OPTICS	60° Wide Spread
LED COUNT	54 LEDs
CABLE LENGTH	1ft

Q[®] SERIES

3-Mode or Serial Technology with 31 Available Color Settings: Single, Dual, Tri, Quad, & Quint.

Q LINK


Controller



PART #	QLM-24
DIMENSIONS	3.95" x 2.6" x .75"
VOLTAGE	10-18VDC
CURRENT DRAW	1 Amp @ 12V
INPUTS	27 Inputs
FLASH PATTERNS	Over 20
OPTICS	-
LED COUNT	-
CABLE LENGTH	15ft

Q LINK: HOW IT WORKS

You'll need a Q Link in order to program your serial Q Series product(s). Serial Q Series products include 27 programmable inputs, 8 serial ports, 1 zone selector input, and 16 zones (a zone is a location in which a module or group of modules are located). Each serial port can support up to 6 modules with a maximum of 48 modules on a single Q Link.



With the Q Link Software program, programming your serial Q Series products is easy and hassle-free. Learn more about programming your serial Q Series products at feniex.com/university/.



LEARN HOW FENIEX CREATES OPPORTUNITIES THROUGH INNOVATIVE TECHNOLOGY

GO TO [PAGES.FENIEX.COM/FENIEXSUMMIT2024](https://pages.fenix.com/fenixsummit2024)

**LEARN
MORE!**



FENIEX

MADE IN THE USA.
PREMIER VEHICLE LIGHTING